

Keeping Forage-Livestock producers in Kentucky informed Dr. S. Ray Smith and Krista Lea, MS.~ Editors

November 2018

Heart of America Conference-Jan. 22-23, 2019

The Heart of America Grazing Conference is a regional conference rotated between five states: Missouri, Indiana, Illinois, Ohio and Kentucky. This year's conference will be held in Ferdinand, IN on January 22-23. Topics include: Managing Grazing Refresher Seminar, Starting a Grass-Fed Beef Operation, Grazing Technologies and Gadgets, Selecting Forage-Based Beef Genetics for a Profitable Operation, and Red Clover: More Than Just Nitrogen. Early registration is \$90 for the two day program and ends December 20. The full agenda is available on the UK Forage website.

Featured Publication: Cyanide Poisoning in Ruminants (ID-220)

Although most areas of the state have had significant frosts, we are still getting questions on Johnsongrass and cyanide (prussic acid) poisoning. Let's overview the main points.

Do not graze Johnsongrass when frost is likely (including at night). Frost allows conversion to hydrogen cyanide within the plant. Do not graze after a killing frost until plant material is completely dry and brown (the toxin is usually dissipated within 72 hours).

If cut for hay, allow to dry completely so the cyanide will volatilize before baling. Allow slow and thorough drying because toxicity can be retained in cool or moist weather. Delay feeding silage 6 to 8 weeks following ensiling. The full publication can be found at your local county extension office or on the UK Forage website.

Forage Timely Tips: November

- ✓ Begin utilizing stockpiled forage.
- ✓ Graze down alfalfa after Nov 1 or a killing frost <26° (whichever comes first).
- ✓ Soil test and apply lime, P or K according to soil test recommendations.
- Continue to inventory hay supplies and needs and get your hay tested for quality.
- ✓ Utilize crop residues.
- ✓ Herbicide application for winter weeds are possible before hard freeze when day temps are 50's.

USDA Hay Markets - October 30, 2018


Below are examples of grass prices being paid FOB barn/stack for selected states at the end of the day on

Friday, October 26. Large ranges for a particular grade and state are often indicative of location and/or bale size. Also check the USDA Hay Market Prices for additional locations and more detailed information or go online and subscribe to eHay Weekly for weekly forage updates including hay prices. Simply search for eHay Weekly.

	Forage Quality Grade					
Location	Premium	Good	Fair			
		\$ per ton				
Alabama	100-300	N.A.	N.A.			
California	240-250	200	N.A.			
Colorado	215-370	185-200	N.A.			
Idaho	N.A.	N.A.	N.A.			
lowa	140-170	123-145	N.A.			
Kansas	N.A.	120-155	N.A.			
Minnesota	110-130	75-115	80-95			
Missouri	N.A.	100-150	60-80			
Montana	200-240	120-185	100-125			
Nebraska	100-170	85-130	65-75			
Oregon	230-235	200	N.A.			
Pennsylvania	270-350	190-280	130-185			
South Dakota	140-170	100-140	N.A.			
Texas	170-330	120-297	100-165			
Wisconsin	N.A.	155-175	N.A.			
Washington	225-260	180-230	164-180			
Wyoming	200	N.A.	N.A.			

Forage-Livestock Quotes and Concepts, Volume 2 is now Available! Quote of the Month: "Repetition is Part of Education"

Legendary Tennessee forage specialist Joe Burns



often states, "If you heard me say this before, please don't interrupt: I want to hear it again myself." He knew that many people in his audience had probably heard some of the words or ideas in a person's mind. If we later forget details, it is easier to "re-learn" the information. This is one reason why it is helpful to attend education events, as well as read newsletters, farm magazines, internet blogs and other sources of valuable information. It is not only a matter of learning new


things, but also fixing more firmly in our minds things to which we have previously been exposed. Hopefully, information and ideas in this publication will be of benefit regardless of the reader's experience. Forage-Livestock Quotes and Concepts, vol. 2 is available online at foragequotebook.com.

Grazing Too Short in Fall and Winter Can Mean More Weeds in the Spring

Results of a study by University of Wisconsin-Madison researchers show that if you graze shorter, you're helping weed seeds get the light and resources they need to germinate well in the spring. Their study focused on burdock, but results could be similar for other weed species that germinate in early spring. ~ Kathy Voth, On Pasture. Full article can be found at onpasture.com.

Forage Identification Book Now Available

Common Grasses, Legumes and Forbs of the Eastern United States: Identification and Adaptation presents photographic identification of the most important grassland, turf, and non-crop plants, and their seeds to facilitate quick identification in the field. Unlike many publications that focus solely on floral identification, this



book emphasizes vegetative identification as well to allow for accurate plant identification year-round. The book includes 23 forage legumes, 61 grasses, and more than 100 non-leguminous forbs found in pastures and grasslands of Eastern United States. The book is available online at Elsevier.com in paperback or ebook for \$85.

Utilizing Cost Share for Farm Improvements

A leading cost share program in the area of environmental protection is the Environmental Quality Incentive Program, also known as EQIP. It is administered by the Natural Resource Conservation Service (NRCS), a division of the United States Department of Agriculture (USDA). NRCS-EQIP provides both financial and technical environmental benefits on working agricultural lands.

Interior fencing to promote better rotational grazing on farms is a popular practice that is eligible in EQIP. Large pastures cut into smaller paddocks allows a farm to implement rotational grazing. This improved management practice results in more ground cover from grasses and legumes, reduced runoff and soil erosion and reduced need for purchased hay. Stream crossing is another eligible practice. Streambed traffic, from livestock or vehicles, can erode the stream bank, causing changes in the flow and affect the wildlife that live in or near the stream.

NRCS-EQIP funds are available to all commodities and livestock farms. Within the state of Kentucky, there is no minimum acreage requirement for participation. Interested applicants should visit their local NRCS office to become more familiar with what EQIP offers and the requirements for participating in the program.

The County Agricultural Investment Program (CAIP) is a cost share program available through the Kentucky Agricultural Development Fund (KADF) and the Kentucky Governor's Office of Agricultural Policy (GOAP). CAIP aims to increase net farm income, add value to products and diversify operations. All of these things make a farm more profitable and more likely to stay in agricultural production.

Investments of CAIP may include commodity storage. Dry hay storage on farms can significantly reduce waste, therefore lowering the annual hay expense. Dry hay also retains quality better and is more likely to meet the needs of the animals without the need for additional supplementation. Other investment areas could be improving pasture productivity with seed, fertilizer or herbicide applications as well as fencing improvements or construction of run in sheds and equipment storage buildings. Check with your local county extension agent about the availability and eligibility of CAIP or other local cost share programs.

Most agricultural cost share programs will in some way involve either the local Cooperative Extension Office (state) or the local NRCS District Office (federal). Both of these agencies can provide a wealth of technical information to all types of producers, and can work with producers to be aware of cost share opportunities and assist in the application process. If you are interested in learning more about cost share programs available in your state or local area, contact your county agent and natural resource manager.

~ Krista Lea, S. Ray Smith and Linda McClanahan

Late Fall Nitrogen Benefits Horse and Cattle Pastures

Fall is prime time to invest in pastures to protect them before and throughout the winter to ensure good grazing in the spring. Most cool-season horse pastures should be fertilized with nitrogen in the late fall to boost root reserves and extend the grazing season. Other fertilizers can also be added in the fall, based on soil test results.

Nitrogen applied in the spring or summer significantly boosts grass growth, but many farms are unable to utilize this additional growth and ultimately mow it down instead. Rather than wasting good grass, consider applying nitrogen to cool-season pastures in October or early November. Fall nitrogen will not greatly increase grass growth, but it will boost grasses' root reserves, allowing plants to remain greener longer into winter, survive winter better, and green up sooner in the spring. This effectively prolongs the grazing season. Additionally, a strong spring pasture will have better cover, which reduces annual weeds.

For best results, apply 40 to 50 pounds of actual nitrogen per acre to pastures once or twice throughout the fall. Applications can be anytime between September and the first hard freeze (overnight temp of less than 24° F). Search "Bluegrass Equine Digest" for the full article and to subscribe to receive monthly.

Upcoming Events (see website for details and online registration)

DEC 4 - KFB Forage and Beef Sessions, Louisville JAN 6-8 –AFGC Conference, St. Louis, MO JAN 22-23 - Heart of America Grazing Conf., Indiana FEB 21 - KY Alfalfa and Stored Forage Conf., Lexington MAR 22 - Novel Tall Fescue Workshop, Princeton

Subscribe to Forage News digitally or access full articles at the UK Forage Website: www.forages.ca.uky.edu